

BULLBOY 

BULLPRO 

STRONG AS A BULL





Bullboy- and Bullpro -worklights have been designed for professionals to help them in their challenging everyday work in dark conditions.


Finnish expertise and experience have been used in the design and development of the Bullboy- and Bullpro –worklights and all components come from leading manufacturers.

For every light type only the best particular solutions in LEDs and other components have been selected for the production of Bullboy and Bullpro lights.

- Strong as a bull -

BULLBOY 

BULLBOY B12 LED -REVERSING LIGHT 12W



Approved as a reversing light in road use (AR)!



Product number: 1603-300402

12-36V
12W

800
LUMENS



IP67

W: 71.5mm
H: 71.5mm
D: 40.5mm

EMC-
approved

Led: 4 x 3W
Connection: 1500mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for work and reversing lighting

BULLBOY B24 LED -REVERSING LIGHT 24W



Approved as a reversing light in road use (AR)!



Product number: 1603-300306

10-30V
24W

3040
LUMENS



IP67/69K

W: 108mm
H: 137mm
D: 48mm

EMC-
approved

Led: 16 x 1,5W OSRAM
Connection: 400mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for work and reversing lighting

BULLBOY “BLUE EYE” FORKLIFT WARNING LIGHT 6W



Product number: 1603-300301

9-80V
6W

720
LUMENS


IP68

W: 144mm
H: 98mm
D: 75mm

EMC-
approved

Led: 2 x 3W
Connection: 500mm silicone wire
Lens: Polycarbonate
Housing: Aluminum
Light pattern: Blue spot

BULLBOY B10 KIT LED -MINI WORK LIGHT 10W



Product number: 1603-300409

9-60V
10W

790
LUMENS



IP68

W: 57mm
H: 57mm
D: 65mm

EMC-
approved

Led: 1 x 10W CREE
Connector: DT-plug
Mounting: Rod and bolt mounting
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B15 LED -WORK LIGHT 15W



Product number: 1603-300401

10-30V
15W

800
LUMENS


IP68

W: 110mm
H: 110mm
D: 41mm

EMC-
approved

Led: 5 x 3W EPISTAR
Connection: 400mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Wide

BULLBOY B15 SLIM LED -WORK LIGHT 15W



Product number:
1603-300404 (black), 1603-300404W (white)

10-30V
15W

800
LUMENS


IP67

W: 145mm
H: 45mm
D: 78mm

EMC-
approved

Led: 5 x 3W power LED EPISTAR
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Wide

BULLBOY B18 SLIM LED -WORK LIGHT 18W




Product number: **1603-300403**

12-30V 18W	1260 LUMENS	 IP67	W: 160mm H: 51mm D: 69mm	EMC- approved
---------------	----------------	--	--------------------------------	------------------

Led: 6 x 3W CREE LED
Connection: 300mm silicone wire
Lens: Glass
Housing: Aluminum
Light pattern: Wide

BULLBOY B18 COMPACT LED -WORK LIGHT 18W




Product number: **1603-300392**

10-30V 18W	1200 LUMENS	 IP67	W: 89mm H: 89mm D: 60mm	EMC- approved
---------------	----------------	--	-------------------------------	------------------

Led: 6 x 3W power LED EPISTAR
Connection: 350mm silicone wire
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B18 LED -WORK LIGHT 18W



Product number: **1603-300400**

10-30V 18W	1080 LUMENS	 IP68	W: 116mm H: 116mm D: 43mm	EMC- approved
---------------	----------------	--	---------------------------------	------------------

Led: 6 x 3W EPISTAR
Connection: 400mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Wide

BULLBOY B20 KIT LED -MINI WORK LIGHT 20W




Product number: **1603-300303**

10-30V 20W	1400 LUMENS	 IP67	W: 65mm H: 65mm D: 74mm	EMC- approved
---------------	----------------	--	-------------------------------	------------------

Led: 1 x 20W CREE
Connector: 300mm silicone wire / DT plug
Mounting: Rod and bolt mounting
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B27R LED -WORK LIGHT 27W




Product number: **1603-300405**

12-30V 27W	1700 LUMENS	 IP67	W: 111mm H: 111mm D: 59mm	EMC- approved
---------------	----------------	--	---------------------------------	------------------

Led: 9 x 3W power LED EPISTAR
Connector: 350mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B27 HD LED -WORK LIGHT 27W




Product number: **1603-300406**

10-30V 27W	1900 LUMENS	 IP67	W: 110mm H: 110mm D: 70mm	EMC- approved
---------------	----------------	--	---------------------------------	------------------

Led: 9 x 3W power LED EPISTAR
Connection: 350mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B27 LED -WORK LIGHT 27W




Product number: **1603-300397**

10-30V 27W	1700 LUMENS	 IP68	W: 108.5mm H: 108.3mm D: 55.4mm	EMC- approved
---------------	----------------	--	---------------------------------------	------------------

Led: 9 x 3W power LED EPISTAR
Connection: 400mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Wide

BULLBOY B30 SIDE MOUNTED LED-WORK LIGHT 30W




Product number: **1603-300395**

9-36V 30W	2988 LUMENS	 IP68	W: 151mm H: 90mm D: 70mm	EMC- approved
--------------	----------------	--	--------------------------------	------------------

Led: 6 x 5W CREE LED
Connection: 400mm silicone wire / DT plug
Mounting: Side mounting
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B35 LED -WORK LIGHT 35W




Product number: **1603-300399**

10-30V 35W	2200 LUMENS	IP67	W: 110mm H: 110mm D: 70mm	EMC- approved
---------------	----------------	------	---------------------------------	------------------

Led: 7 x 5W power LED EPISTAR
Connection: 400mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B36 LED -WORK LIGHT 36W




Product number: **1603-300398**

10-30V 36W	2400 LUMENS	IP67	W: 138mm H: 87mm D: 77mm	EMC- approved
---------------	----------------	------	--------------------------------	------------------

Led: 12 x 3W power LED EPISTAR
Connection: 350mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B40 LED -WORK LIGHT 40W




Product number: **1603-300408**

10-30V 40W	3200 LUMENS	IP67	W: 101.6mm H: 101.6mm D: 68.6mm	EMC- approved
---------------	----------------	------	---------------------------------------	------------------

Led: 4 x 10W power LED CREE
Connection: 350mm silicone wire
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B48 LED -WORK LIGHT 48W




Product number: **1603-300407**

9-32V 48W	3800 LUMENS	IP68	W: 125mm H: 125mm D: 88mm	EMC- approved
--------------	----------------	------	---------------------------------	------------------

Led: 16 x 3W power LED CREE
Connection: 350mm silicone wire
Lens: Hardened glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY B80 LED -WORK LIGHT 80W



Product number: **1603-300417**

10-30V
80W

6820
LUMENS




W: 140mm
H: 153mm
D: 95,5mm

EMC-
approved

Led: 8 x 10W power LED CREE
Connection: DT-plug, 200mm silicone wire
Lens: Glass
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY LED -WORK LIGHT PANEL 90W



Product number: **1603-300420**

9-32V
90W

4800
LUMENS




W: 480mm
H: 70mm
D: 82mm

EMC-
approved

Led: 18 x 5W high power LED
Connection: 500mm
Mounting: Mounting side and bottom brackets
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY LED -WORK LIGHT PANEL 130W



Product number: **1603-300421**

9-32V
130W

7700
LUMENS




W: 690mm
H: 70mm
D: 82mm

EMC-
approved

Led: 26 x 5W high power LED
Connection: 500mm
Mounting: Mounting side and bottom brackets
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLBOY LED -WORK LIGHT PANEL 160W



Product number: **1603-300422**

9-32V
160W

9200
LUMENS




W: 830mm
H: 70mm
D: 82mm

EMC-
approved

Led: 32 x 5W high power LED
Connection: 500mm
Mounting: Mounting side and bottom brackets
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting



BULLPRO 15W MIDI LED -WORK LIGHT



Product number: 1603-300304

10-30V
15W

960
LUMENS


IP67

W: 77mm
H: 44mm
D: 22mm

EMC-
approved

Led: 3 x 5W CREE
Connection: 1000mm wire
Mounting: Rubberpads for flat and tube mounting
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Extra wide 120°

BULLPRO 40W LED -WORK LIGHT



Product number: 1603-300390

9-50V
40W

3800
LUMENS


IP68

W: 105mm
H: 105mm
D: 64mm

EMC-
approved

Led: 4 x 10W CREE
Connection: DT-plug, 1500mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 50W LED -WORK LIGHT



Product number: 1603-300385

9-32V
50W

4805
LUMENS


IP68

W: 108.7mm
H: 107.8mm
D: 76.0mm

EMC-
approved

Led: 5 x 10W CREE
Connection: 1500mm silicone wire
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 60W LED -WORK LIGHT



Product number: 1603-300386

12-48V
60W

5400
LUMENS

IP67


W: 110mm
H: 110mm
D: 84mm

EMC-
approved

Led: 4 x 15W CREE
Connection: No connection wire, integrated Deutsch-plug
Lens: Polycarbonate lens
Housing: Aluminum
Light pattern: Optimized for active zone lighting



BULLPRO 30W LED -WORK LIGHT



Product number: 1603-300372

12-60V
30W

2700
LUMENS




W: 85.0mm
H: 101.5mm
D: 88.0mm

EMC:
CISPR-25

Led: 1 x 30W CREE LED chip
Connection: Built in Deutsch 2-pin
Lens: Polycarbonate
Housing: Aluminum
Light pattern: 60°

BULLPRO 60W LED -WORK LIGHT



Product number: 1603-300373

12-60V
60W

5700
LUMENS




W: 126.0mm
H: 107.5mm
D: 95.0mm

EMC:
CISPR-25

Led: 2 x 30W CREE LED chip
Connection: Built in Deutsch 2-pin
Lens: Polycarbonate
Housing: Aluminum
Light pattern: 60°

BULLPRO 80W LED -WORK LIGHT



Product number: 1603-300374

12-60V
80W

7200
LUMENS




W: 103.0mm
H: 130.0mm
D: 95.0mm

EMC:
CISPR-25

Led: 4 x 20W CREE LED chip
Connection: Built in Deutsch 2-pin
Lens: Polycarbonate
Housing: Aluminum
Light pattern: 60°

BULLPRO 120W LED -WORK LIGHT



Product number: 1603-300375

12-60V
120W

10800
LUMENS




W: 135.0mm
H: 130.0mm
D: 95.0mm

EMC:
CISPR-25

Led: 6 x 20W CREE LED chip
Connection: Built in Deutsch 2-pin
Lens: Polycarbonate
Housing: Aluminum
Light pattern: 60°

BULLPRO 40W LED -WORK LIGHT PANEL




Product number: 1603-300438

9-36V 40W	3600 LUMENS	 IP68	W: 190mm H: 83mm D: 60mm	EMC: CISPR-25
--------------	----------------	---	--------------------------------	------------------

Led: 4 x 10W CREE
Connection: 500mm
Lens: Lexan polycarbonate
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 80W LED -WORK LIGHT PANEL




Product number: 1603-300439

9-36V 80W	7200 LUMENS	 IP68	W: 350mm H: 83mm D: 60mm	EMC: CISPR-25
--------------	----------------	---	--------------------------------	------------------

Led: 8 x 10W CREE
Connection: 500mm
Lens: Lexan polycarbonate
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 200W LED -WORK LIGHT PANEL




Product number: 1603-300442

9-36V 200W	18000 LUMENS	 IP68	W: 830mm H: 83mm D: 60mm	EMC: CISPR-25
---------------	-----------------	---	--------------------------------	------------------

Led: 20 x 10W CREE
Connection: 1500mm
Lens: Lexan polycarbonate
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 120W LED -WORK LIGHT PANEL




Product number: 1603-300440

9-36V 120W	10800 LUMENS	 IP68	W: 510mm H: 83mm D: 60mm	EMC: CISPR-25
---------------	-----------------	---	--------------------------------	------------------

Led: 12 x 10W CREE
Connection: 1500mm
Lens: Lexan polycarbonate
Housing: Aluminum
Light pattern: Optimized for active zone lighting

BULLPRO 160W LED -WORK LIGHT PANEL



Product number: 1603-300441

9-36V 160W	14400 LUMENS	 IP68	W: 670mm H: 83mm D: 60mm	EMC: CISPR-25
---------------	-----------------	---	--------------------------------	------------------

Led: 16 x 10W CREE
Connection: 1500mm
Lens: Lexan polycarbonate
Housing: Aluminum
Light pattern: Optimized for active zone lighting





www.bullboy.fi

STARTAX

STARTAX
FINLAND OY

Startax Auto-Electronics Oy

Kannistontie 138

33880 Lempäälä

Tel. +358 3 275 050, Fax +358 3 275 0555

startax@startax.net

www.startax.net

STARTAX
ESTONIA AS

AS Startax

Läike tee 20, Peetri alevik Rae vald

75312 Harjumaa

Tel. +372 6150 170

eesti@startax.net

www.startax.net

STARTAX
MASKIN-TEKNISK AS

Maskin-Teknisk AS

Rosenholmveien 20

N-1252 Oslo

Tel. +47 22 62 05 50, Fax +47 22 62 05 60

post@maskin-teknisk.no

www.maskin-teknisk.no